

# LANCP21449

## Installation Instructions


Lankota Weight Bracket Kit for JD® DBXX Corn Planter Wings

# LANKOTA®

270 West Park Avenue  
Huron, SD 57350  
866-526-5682

# Numerical Parts List

<b>Part Numbers</b>	<b>Description</b>	<b>Qty</b>
LANWB003	Weight Bracket Right	1
LANWB003M	Weight Bracket Left	1
LANF-HHCS-M16-70	M16 x 70 CL 10.9 Hex Bolt	4
LAN14M7259	M16 Hex Nut	4
LAN26000	5/8" Flat Washer	8
REDWL57	5/8" Lock Washer	4



# Preparation

1. Set corn planter to an appropriate working height at the ends of the wings when folded up.
2. If applicable, remove the markers from both wings.



# Kit Installation

## Refer to Figures 1, 2, & 3

1. Using LANWB003 on the right (passenger side), and LANWB003M on the left (driver side) of the corn planter, bolt the weight brackets inside the end plate of each wing using two M16 x 70 bolts (LANF-HHCS-M16-70), four washers (LAN26000), two lock washers (REDWL57), and two M16 hex nuts (LAN14M7259).
2. DB60 Corn Planters will use top bolt holes (Figure 1); DB90 corn planter will use bottom bolt holes (Figure 2).

Figure 1



Figure 2



Figure 3



# Kit Installation

Refer to Figures 4 & 5

2. Add up to 8 suitcase weights per bracket.
3. Bolt the weights together using original OEM hardware (shown below with a red arrow) to clamp the weights against the bottom center pin.

**NOTE: Weight fastening hardware is not included.**



Figure 4

For further technical assistance,

Call Lankota Inc. at:

**1-866-526-5682**




Figure 5